

## Bone Involvement in Classic and Agressive Kaposi Sarcoma

**Admi M\*, Hassani I, Jellali A, Elhassani A, Lahrach K and Boutayeb F**

Department of trauma and orthopedic surgery A, HASSAN 2 teaching hospital, FES, MOROCCO

**\*Corresponding author:** Admi Mohamed, Department of Trauma and Orthopedic

Surgery A. HASSAN 2 teaching hospital, Faculty of medicine of Fes, morocco. Tel: 00212613821991; Email: muhammadadmi@gmail.com

### Image Article

Volume 1 Issue 4

**Received Date:** May 06, 2017

**Published Date:** May 29, 2017

### Abstract

Kaposi sarcoma (KS) is an endothelial proliferation described for the first time by moritz kaposi in 1872. It is commonly associated with human herpes virus 8 (HHV8) and human immunodeficiency virus (HIV). Skin and mucous membranes are the most common sites. Osseous involvement in kaposi sarcoma is rare and occurs either by direct spread of mucocutaneous lesions or through dissemination. There are 4 different variants of KS including : African (endemic) KS, classic KS, acquired immune deficiency syndrome (AIDS)-related (epidemic) KS, and transplantation (or immunosuppression)-associated KS.

### Introduction

We report a case of 65-year-old male, presented with a 10-year history pain of the right foot. After 6 years of evolution, it was associated with fistulas. Physical examination revealed lymphoedema of the foot with multiple keratotic plaques and nodules, associated to multiple fistulas in dorsal and plantar aspects of the right foot (Figure 1,2).

Standard radiography of the feet revealed a massive osteolysis of the right foot skeleton, there was also a

periosteal reaction of the distal tibia and fibula (Figure 3, 4).

A skin lesion biopsy was performed, the histopathologic examination confirmed the diagnosis of KS. HIV and Syphilis serology tests were negative. General examination didn't reveal other locations.

The decision of transtibial amputation was made, immunohistochemistry examination showed a dermal nodular proliferation with few mitoses.



Figure 1: Plantar Aspect of the Right Foot Showing Fistulas with Nodular Plaques.



Figure 2: Dorsal Aspect of the Right Foot Showing Plaques, Nodules and Fistulas.



Figure 3: Standard Radiography of the Right Foot Showing Massive Osteolysis



Figure 4: Periosteal Reaction of Distal Tibia and Fibula