



The Main Perturbations from the Sun in the Theory of the Moon's Motion in the Aspect of Optical Observations of the "Einstein Effect"

Shapovalov SN*

FSBI "Arctic and Antarctic Research Institute" 38 Bering St., St. Petersburg, Russia

***Corresponding authors:** Shapovalov SN, FSBI "Arctic and Antarctic Research Institute" 38 Bering St., St. Petersburg, Russia, Email: shapovalov@aari.ru

Research Article

Volume 4 Issue 2

Received Date: August 20, 2026

Published Date: September 16, 2026

DOI: 10.23880/oaja-16000171

Abstract

The analysis examines the relationship between the optical results obtained by various authors during observations of total solar eclipses from 1919 to 1973 — which assessed the deviation of light rays from stars from the Sun's disk (the Einstein effect) — and the main (gravitational) perturbations exerted by the Sun on the Moon and Earth (as derived from the theory of lunar motion): evection, variation, and the annual inequality, which are described by inequalities in the formula for the geocentric ecliptic longitude of the Moon. The main feature of these disturbances is that they occur synchronously with the main deviations in the Moon's motion from its orbit and with the oscillations of the Earth's axis relative to the celestial pole (short-period nutation). The correlation of optical values of the $\delta\varphi$ with the values of evection - the main perturbation from the Sun to the Moon and the Earth, on the basis of which a correction is proposed (at the error level) for optical observations of the "Einstein effect" in the dates of total solar eclipses from 06.02.2027 to 04.09.2100.

Keywords: Deflection of Light Rays from the Sun's Disk; Main Perturbations from the Sun; Eviction, Variation, Annual Inequality, Total Solar Eclipse

Introduction

The experimental verification of general relativity is the confirmation of three effects: the gravitational shift of spectral lines, the displacement of the perihelion of Mercury and the deviation of the light rays of stars from the disk of the Sun ($\delta\varphi = 1,75''$). The expression for $\delta\varphi$ is as follows:

$$\delta\varphi = -4GM_{\odot}/R_{\odot}c^2, (1)$$

where the "minus" sign corresponds to the deviation of the ray towards the center of the Sun,

$G = 6.67 \cdot 10^{-11} \text{ H} \cdot \text{m}^2 \cdot \text{kg}^{-2}$ - the gravitational constant, $M_{\odot} =$

$1.99 \cdot 10^{30} \text{ kg}$ - the mass of the Sun,
 $c = 3 \cdot 10^8 \text{ m} \cdot \text{s}^{-1}$ - the speed of light, $R_{\odot} = 6.96 \cdot 10^8 \text{ m}$ - the radius of the Sun.

If we use only the results of radar and radio interferometry in the theory test, without giving optical results ($\Delta 5\%-15\%$), then we can assume that $\delta\varphi = 1.75''$ are consistent with GR within 1% [1,2]. Below are the results of averaging $\delta\varphi = 1.75''$ by radar and radio interferometry methods:

Radar 1.73 ± 0.07 (Venus, Mercury, Mars) [3,4]

Radio interferometry 1.76 ± 0.08 (groups of quasars, pulsars) [5]

The results of optical observations obtained by different authors in only eight total solar eclipses (from 1919 to 1973) amounted to $\delta\phi = 1.83'' \pm 0.40$. Table 1 shows the authors, and

recalculation estimates of the deviation of the rays of stars from the disk of the Sun, from 1919 to 1973 [6-29].

Date Full Solar Eclipses	Author Values $d\phi$, Sec (Δ)		Recalculated Values $\square\square$, Sec (Δ)	
	1.98; (0.16)	[6]	2.05; (0.20)	[7]
29.05.1919	0.93	[9]	1.87; (0.13)	[8]
	1.61; (0.40)	[11]	2.16; (0.14)	[10]
	1.42, 1.75,	[12]	2.05; (0.13)	[15]
	2.16	[12]	2.07	[16]
21.09.1922	1.72; (0.15)	[13]	2.14; (0.18)	[17]
	1.83; (0.20)		2.12	[9]
	1.77; (0.40)	[14]	2.07	[33]
			2.04; (0.27)	[7]
09.05.1929	2.24; (0.10)	[21]	1.98; (0.14)	[18-20]
			1.75; (0.19)	[22]
			1.96; (0.11)	[33]
	2.73; (0.31)	[23]		
19.06.1936	2.13; (1.15)		2.20; (0.36)	[34]
	1.28; (2.67)	[33]		
20.05.1947	2.01; (0.27)	[24-25]		
25.02.1952	1.70; (0.10)	[26]	1.45	[33]
25.02.1952	1.82; (0.20)	[26]	1.45	[33]
02.10.1959	2.17	[27]		
30.06.1973	1.66; (0.19)	[28,29]		

Table 1: Author and recalculated $\delta\phi$ values obtained in total solar eclipses from 1919 to 1973.

During the OTS inspection period, the list of errors has expanded significantly and, according to the works [30-34] include:

- deviation of the shape of the Sun from sphericity ($9.2 \cdot 10^{-2}$);
- movement of the Earth along the ecliptic ($2.88 \cdot 10^{-2}$);
- refraction in the Sun's atmosphere ($0.004''$);
- refraction and dispersion in the Earth's atmosphere ($0.01''$ - $0.1''$);
- removal of the observer from the center of mass Sun-Moon-Earth;
- the influence of the gravitational field of the Moon and the Earth during a total solar eclipse, expressed by an additive to the relativistic deviation of the beam ($5.8 \cdot 10^{-4}$);
- wavelength dependence ($2.5 \cdot 10^{-4}$);
- dependence on solar activity (SA);
- astroclimatic characteristics;
- additive error caused by inaccurate correspondence of the scales of day and night astro images ($0.25''$).

The spread of values in Table 1 does not exclude that, in addition to the given errors, there is a cosmophysical factor that affects to a small extent the value of $\delta\phi = 1.75''$. Such an agent can be the main (gravitational) perturbations from the Sun to the Moon and Earth from the theory of the motion of the Moon, realized in the short-period nutation of the Earth's axis, as well as in changing the true geocentric ecliptic longitude of the Moon, according to formula (1):

$$\lambda = L + 6.289^\circ \sin l - 1.274^\circ \sin(l - 2D) + 0.658^\circ \sin 2D + 0.214^\circ \sin 2l -$$

$$+ 0.186^\circ \sin l' - 0.114^\circ \sin 2F, \dots, (2)$$

L – the average longitude of the moon in orbit freed from periodic disturbances,

l, D, l', F – basic arguments of the theory of motion of the Moon [34-36].

Of the first five inequalities, terms with coefficients 6.289° and 0.214° due to the ellipticity of the unperturbed (Keplerian) orbit, and with coefficients 1.274° (evection), 0.658° (variation) and 0.186° (annual inequality) - perturbations from the Sun to the Moon and Earth (Figure 1).




Figure 1: Periods of major (gravitational) perturbations from the Sun: evection ($(\pm 1.274^\circ \sin(l-2D))$, variation ($(\pm 0.658^\circ \sin 2D)$), annual inequality ($(\pm 0.186^\circ \sin l')$). The meaning of evection is to periodically change the shape of the lunar orbit (eccentricity 0.0448-0.0650).

Results

The evection values $1.274^\circ \sin(l-2D)$ were calculated for the Julian dates of solar eclipses from Table 1. Figure 2 shows the distribution of estimates and confidence intervals of $\delta\phi$ equal to one standard deviation for eclipses with results > 1 . The continuous curve represents the averaging of the results:

$$\delta\phi(M) = 1.7227 + 0.2058x + 0.3163x^2 \quad (3)$$

$$\delta\phi(E) = 1.723 + 0.316x^2 \quad (4)$$

In Figure 2, the function $\delta\phi(M)$ has a left lower shift (relative to $\delta\phi(E)$), characterized by the term $0.2058x$ (3) due to observations in 1919 and 1936. Figure 2 also shows that in the extremums of evection (-1.274° и $+1.274^\circ$), the $\delta\phi$ can reach $2.25'' \approx 10\%$, and at 0° be consistent with the result of $1.72'' \pm 10\%$.




Figure 2: Distribution of $\delta\phi$ scores by evection 1919 to 1973: $\delta\phi(M)$ – averaging, $\delta\phi(E)$ – theoretical dependence.

Figures 3-4 show the $\delta\phi$ distributions according to variation ($0.658^\circ\sin 2D$) and annual inequality ($0.186^\circ\sin I'$). Unfortunately, the statistics of $0.658^\circ\sin 2D$ for the dates of

total solar eclipses developed with negative angles, and for the annual inequality there were only two positive values.




Figure 3: The dependence of $\delta\phi$ on variation according to the results of observations of total solar eclipses from 1919 to 1973.




Figure 4: Dependence of $\delta\phi$ on annual inequality according to the results of observations of total solar eclipses from 1919 to 1973

Conclusion

Main results:

- connection of optical $\delta\phi$ results with evection values is obtained;
- $\delta\phi=1.75''$ is in accordance with the condition $1.274^\circ \sin(l-2D)=0^\circ$;

- extreme values $\delta\phi (2.25'' \pm 10\%)$ correspond to extremes of evection ($\pm 1.274^\circ$)
- at evection values $\sim 0^\circ$, $\delta\phi=1.72'' \pm 10\%$ is expected [35].

Using the relationship obtained, Table 2 shows the calculated $\delta\phi$ values for total solar eclipses for the period from 06.02.2027 to 04.09.2100.

Date Full Solar Eclipses	1.72E	ΔX (10%)	Date Full Solar Eclipses	1.72E	ΔX (10%)	Date Full Solar Eclipses	1.72E	ΔX (10%)
06.02.2027	1.88	0.19	24.10.2060	1.72	0.17	16.01.2094	1.73	0.17
02.08.2027	1.74	0.17	20.04.2061	1.86	0.19	02.06.2095	2.19	0.22
26.01.2028	1.74	0.17	13.10.2061	1.96	0.2	27.11.2095	1.93	0.19
22.07.2028	1.99	0.2	28.02.2063	1.81	0.18	22.05.2096	1.76	0.18
01.06.2030	1.74	0.17	24.08.2063	1.72	0.17	15.11.2096	1.73	0.17
25.11.2030	1.75	0.17	17.02.2064	1.79	0.18	11.05.2097	1.85	0.19
21.05.2031	1.9	0.19	12.08.2064	1.98	0.2	04.11.2097	2.05	0.21
14.11.2031	2.1	0.21	22.06.2066	1.74	0.17	21.03.2099	1.82	0.18
09.05.2032	2.23	0.22	17.12.2066	1.8	0.18	14.09.2099	1.72	0.17
30.03.2033	1.78	0.18	11.06.2067	1.89	0.19	10.03.2100	1.78	0.18
20.03.2034	1.91	0.19	06.12.2067	2.17	0.22	04.09.2100	2.06	0.21
12.09.2034	2.02	0.2	31.05.2068	2.24	0.22			
09.03.2035	2.23	0.22	11.04.2070	2	0.2			
02.09.2035	2.19	0.22	04.10.2070	2.1	0.21			
13.07.2037	2.12	0.21	31.03.2071	2.23	0.22			
05.01.2038	2.19	0.22	23.09.2071	2.2	0.22			
02.07.2038	2.19	0.22	12.09.2072	1.77	0.18			

Table 2: The expected values $\delta\phi$ adjusted for evection for total solar eclipses from 06.02.2027 to 04.09.2100.

In a brief discussion of the previously not considered relationship of $\delta\phi$ with the main perturbations from the Sun, it should be noted that according to formula (4), the value of $\delta\phi$ can be corrected $\sim 0.03''$ due to evection, as the main perturbation from the Sun to the Moon and Earth, the effect of which is reflected in the short-period nutation of the earth's axis with a period of 31.8 days (see Table in the Astronomical Yearbook [36]). Among the potential corrections, parallactic inequality depending on the argument D (29.5305881 days), secular acceleration (varies with the eccentricity of the Earth's orbit) can also be considered; secular movement of perigee (3232.9 days) and inequality of precession of the node (173.31 days).

References

1. Einstein A (1916) The Foundation of the General Theory of Relativity. Ann. Phys. (Leipzig) 49(7): 769.
2. Ginzburg VL (1985) On physics and astrophysics: articles and speeches/VL. Ginzburg. – Moscow. Science. Worldview. Nauka, Russia 1-80: 157.
3. Shapiro II, Pettengill GH, Ash ME, Stone ML, Smith WB, et al. (1968) Fourth test of General Relativity: preliminary results Phys Rev 20: 1265-1269.
4. Anderson JD, Esposito BD, Martin W, Thornton CL, Muhleman DO (1975) Experimental Test of General Relativity using Time-Delay Data from Mariner 6 and Mariner 7. Astrophys J 200: 221-233.
5. Counselman CC, Shapiro II (1968) Scientific uses of pulsars. Science 162(3851): 352-355.
6. Crommelin ACD (1919) Results of the total solar eclipse of May 29 and the Relativity Theory. Nature 104: 280-281.

7. Danjon A (1932) The Apparent Displacement of the Stars Around the Eclipsed Sun. *Journal de Physique et le Radium* 3(7): 281-301.
8. Nicolson (1981) Gravity, black holes and the universe. David and Charles.
9. Dyson FW, Eddington AS, and Davidson C (1920) A Determination of the Deflection of Light by the Sun's Gravitational Field, from Observations Made at the Total Eclipse of May 29, 1919. *Philosophical Transactions of the Royal Society of London. Series A, Containing Papers of a Mathematical or Physical Character* 220: 291-333.
10. Hopmann J (1923) The Interpretation of the Results of the American Einstein Expedition. *Phys Z* 24: 476-485.
11. Eddington AS (1919) The deflection of light during a solar eclipse. *Nature* 104: 271-454.
12. Chant CA, Young RK (1923) Evidence of the Bending of the Rays of Light on Passing the Sun, obtained by the Canadian Expedition to observe the Australian Eclipse. *Publications of the Dominion Astrophysical Observatory Victoria* 2: 275-285.
13. Campbell WW, Trumpler RJ (1923) Observations on the Deflection of Light in Passing Through the Sun's Gravitational Field, Made During the Total Solar Eclipse of September 21, 1922. *Publications of the Astronomical Society of the Pacific. Lick. Observ* 35(205): 158-163.
14. Dodwell GF, Davidson (1924) Determination of the Deflection of Light by the Sun's Gravitational Field from Observations made at Cardillo Downs, South Australia, during the Total Eclipse of 1922 September 21. *Monthly Notices of the Royal Astronomical Society* 84: 150-162.
15. Freundlich EF, Von Klüber HV, Brunn A (1931) Results of the Potsdam Expedition to Observe the Solar Eclipse of May 9, 1929: The Deflection of Light in the Gravitational Field of the Sun. *Physikalische Berichte* 1: 2838-2839.
16. Freundlich E (1923) On the Observation of the Deflection of Light During the Total Solar Eclipse of 21 September 1922. *Die Naturwissenschaften*, 11(48/49): 962-965.
17. Hopmann J (1923) The Interpretation of the Results of the American Einstein Expedition. *Physikalische Zeitschrift* 24: 476-485.
18. Jackson J (1931) The Deflection of Light in the Sun's Gravitational Field. *The Observatory* 54: 292-296.
19. Campbell WW, Trumpler RJ (1928) Observations made with a pair of five-foot cameras on the light-deflections in the Sun's gravitational field at the total eclipse of September 21, 1922. *Lick. Obser* 39(397): 130-160.
20. Kennefick D (2009) Testing relativity from the 1919 eclipse – a question of bias. *Physics Today* 62(3): 37-42.
21. Freundlich EF, Klüber HV, Brunn A (1931) On the Deflection of Light in the Gravitational Field of the Sun. *Abhandlungen der Preußischen Akademie der Wissenschaften, Abh. Preuss. Akad. Wiss* 1: 171-198.
22. Freundlich EF, Klüber HV, Brunn A (1932) On the Determination of the Deflection of Light in the Gravitational Field of the Sun. *Zeitschrift für Astrophysik*, 4(3): 208-220.
23. Mikhailov AA (1940) Reports of the Academy of Sciences SSR 29: 189.
24. Matukuma T (1941) On the Einstein Effect derived from the Observations of the Total Solar Eclipse of June 19th in 1936. *Japanese Journal of Astronomy and Geophysics* 18: 51-72.
25. Biesbroeck GV (1950) The Einstein Shift at the Eclipse of May 20, 1947, in Brazil. *The Astronomical Journal* 55: 49-53.
26. Bisbroeck GV (1953) The relativity shift at the 1952 February 25 eclipse of the Sun. *Astron Journ* 58: 87-88.
27. Schmeidler F (1963) New attempt at measuring relativistic light deflection. *Astron NachrichtenBd* 287(1): 7-16.
28. Jones BF (1976) Gravitational deflection of light: solar eclipse of 30 June 1973. II. Plate reductions. *The Astronomical Journal* 81(6): 455-463.
29. Vargashkin VY (1996) Light Beam Precession Effect in Circumsolar Space // G&C. *Gravitation & Cosmology. Moscow, Russian Gravitational Society* 2(6): 161-166.
30. Vargashkin VY (1996) Chronology and elements of systematization of the results of observations of the Einstein effect: Collection of scientific papers/OrelGTU. *Rel* 8: 175-188.
31. George CM (1965) General relativity and cosmology. University of Illinois Press, USA
32. Bronshten VA (1971) On the Einstein effect and refraction in the solar corona//Field and matter. Collection of articles on physics and geophysics, memory prof. K.A. Putulova [Resp. ed. Ya.P. Terletsy]. M: Publishing House of Moscow State University, Russia.
33. Mikhailov AA (1949) Observation of the Einstein effect

during the solar eclipse of July 19, 1936//Tr. expeditions to observe the total solar eclipse of September 21, 1941 Academy of Sciences SSR, pp: 337-351.

34. (1981) Astronomical calendar (constant part). Nauka, Russia, pp: 704.

35. Astronomical Yearbook (1998) Petersburg: IPA RAS, pp: 729.

36. Kulikov KA (1972) Fundamentals of lunar astrometry. Nauka, Russia, pp: 391.