



# Reimagining Chronic Kidney Disease Care Through Patient-Centered Innovation

Cynthia M\* and Francis J

Department of Urology, Assistant Professor, University of South Alabama, USA

**\*Corresponding author:** Mary Cynthia, Department of Urology, Assistant Professor, University of South Alabama, USA

## Perspective

Volume 10 Issue 4

Received Date: October 15, 2025

Published Date: October 30, 2025

## Abstract

Chronic kidney disease (CKD) care has traditionally focused on disease classification, laboratory monitoring, medication management, and prevention of kidney failure. Although these approaches remain essential, they may not fully address the experiences, priorities, and everyday challenges of patients living with CKD. Patient-centered innovation offers an opportunity to redesign kidney care around individual needs, preferences, and circumstances. Digital health technologies, remote monitoring, shared decision-making, personalized education, artificial intelligence, and multidisciplinary care models can strengthen communication between patients and healthcare professionals while supporting earlier intervention. Importantly, innovation should not be defined solely by technological advancement. Effective innovation should improve accessibility, continuity, treatment adherence, quality of life, and clinical outcomes. This Perspective discusses how patient-centered innovation can reshape CKD care and identifies priorities for developing practical, equitable, and sustainable models of kidney healthcare.

**Keywords:** Chronic Kidney Disease; Patient-Centered Care; Digital Health; Innovation; Shared Decision-Making; Personalized Medicine; Remote Monitoring; Kidney Health

## Introduction

CKD is a long-term condition requiring continuous monitoring and sustained patient engagement. Despite improvements in diagnostic methods and kidney-protective therapies, many patients experience fragmented care, delayed diagnosis, complex medication schedules, inadequate disease awareness, and difficulty accessing specialist services [1].

A patient-centered approach shifts the focus from managing laboratory abnormalities alone to understanding the person living with kidney disease. Patients differ in their health literacy, financial circumstances, lifestyle, treatment preferences, family responsibilities, and willingness to adopt particular interventions. These differences can substantially

influence outcomes [2].

Reimagining CKD care therefore requires innovation that combines medical evidence with patient priorities. The future of nephrology should not simply provide more treatments; it should create care systems that are easier to access, understand, personalize, and sustain.

## Patient-Centered Innovation in CKD Care

Patient-centered innovation begins with meaningful involvement of patients in clinical decisions. Shared decision-making can help patients understand their disease, treatment options, expected benefits, possible adverse

effects, and long-term consequences [3].

Digital technologies can further support this approach. Mobile applications, telemedicine, electronic reminders, home blood pressure monitoring, and remote laboratory reporting may allow patients to participate more actively in their care.

Remote monitoring may be particularly useful for individuals who face geographical or mobility-related barriers to frequent hospital visits. However, digital solutions should complement rather than replace human interaction [4].

Another important area is personalized education. CKD information is often presented using complex medical terminology that may be difficult for patients to understand. Educational materials should be adapted to health literacy, language, cultural context, and individual disease stage.

### Reimagining Care Across the CKD Continuum

Innovation should begin before advanced CKD develops. Individuals at increased risk because of diabetes, hypertension, cardiovascular disease, or family history should receive accessible screening and prevention support.

For patients with established CKD, individualized care plans can integrate kidney function, albuminuria, comorbidities, medication use, lifestyle factors, and patient preferences.

In advanced CKD, patient-centered innovation becomes particularly important because treatment decisions may involve dialysis, transplantation, or conservative kidney management. Patients should be supported in making decisions consistent with their goals and quality-of-life priorities [5].

### Role of Technology and Artificial Intelligence

Artificial intelligence may assist clinicians in identifying patients at risk of CKD progression, predicting complications, and recognizing changes in longitudinal health data.

However, technology should serve patients rather than dominate care. An algorithm may identify risk, but meaningful clinical care still requires communication, empathy, and professional judgment.

Future digital systems should therefore be designed around usability and clinical relevance. Patients should understand what information is being collected, why it is collected, and how it contributes to their care.

### Challenges

Patient-centered innovation faces several barriers. Digital inequality may prevent some patients from benefiting from telemedicine or remote monitoring. Financial constraints can limit access to advanced technologies. Privacy concerns may arise when large amounts of personal health information are collected.

There is also a risk that technology could increase rather than reduce healthcare complexity. Excessive alerts, unnecessary monitoring, or poorly designed applications may create additional burdens for patients and clinicians.

Innovation should therefore be evaluated according to whether it improves meaningful outcomes rather than simply introducing new technology.

### Future Directions

Future CKD care should increasingly combine personalized medicine with patient-centered design. Integrated digital platforms could connect patients, primary-care providers, nephrologists, pharmacists, dietitians, and other healthcare professionals.

Predictive systems could identify patients requiring additional support, while remote monitoring could allow earlier responses to deteriorating health.

Importantly, patients should participate in the development and evaluation of these technologies. Their experiences can identify barriers that may not be apparent to developers or clinicians.

The future should move toward continuous, connected, and individualized kidney care, where patients are active participants rather than passive recipients of treatment.

### Conclusion

Reimagining CKD care requires a shift from disease-centered management toward care designed around the individual. Patient-centered innovation can improve communication, accessibility, monitoring, self-management, and shared decision-making.

Technology, artificial intelligence, remote monitoring, and digital education offer significant opportunities, but their value depends on how effectively they address real patient needs. The most successful innovations will combine technological capability with clinical expertise, human connection, and equitable access.

Ultimately, the goal should be simple: to make kidney care more personalized, understandable, accessible, and responsive to the people who depend on it.

## References

1. Kidney Disease: Improving Global Outcomes (KDIGO) CKD Work Group (2024) KDIGO 2024 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. *Kidney Int* 105(4S): S117-S314.
2. Levin A, Stevens PE (2014) Summary of KDIGO 2012 CKD Guideline: behind the scenes, need for guidance, and a framework for moving forward. *Kidney Int* 85(1): 49-61.
3. Levey AS, Coresh J (2012) Chronic kidney disease. *Lancet* 379(9811): 165-180.
4. Tangri N, Stevens LA, Griffith J, Tighiouart H, Djurdjev O, et al. (2011) A predictive model for progression of chronic kidney disease to kidney failure. *JAMA* 305(15): 1553-1559.
5. Inker LA, Eneanya ND, Coresh J, Tighiouart H, Wang D, et al. (2021) New Creatinine- and Cystatin C-Based Equations to Estimate GFR without Race. *N Engl J Med* 385(19): 1737-1749.